







## Colour Range













Miffor has taken the best qualities of traditional flooring and produced an outstanding product that can be used throughout the entire home. You can now use a wood look plank that is **100% Waterproof** in the Bathroom, Laundry, Kitchen and the rest of your home and it will withstand spills, scratches and moisture. It is simple enough to install with minimal effort installation system that is glueless and requires no underlay.

This is why Cypress Cascade Waterproof Planks are the number one choice for floating rigid planks in the industry, making it perfect for any environment and lifestyle.









Product	SPC
Usage	Heavy domestic - industrial
Total Thickness including Wear Layer	5.5mm
Wear Layer	0.5mm
Size	179 x 1253mm
Qty per Carton	8 planks
M <sup>2</sup> per Carton	1.75m²
Resistance to Staining	EN 423 / Pass
Dimensional Stability	EN 434 / 0.05%
Residual Indentation	EN 433 / 0.10mm
Castor Chair Resistance	EN 425 / Pass
Finish	PUR surface treatment
Emboss	BP
Slip Resistance	R9
Reaction to Fire	EN 13501 - 1 / Bf1-s1
Installation	Click floating
Locking System	5G-i
Bevel	Four-sided
Warranty	Limited Lifetime
Scratch Resistant	Cullinan Protection Coating
Stain Resistant	Easy to clean







## Colour Range














Miflor has taken the best qualities of traditional flooring and produced an outstanding product that can be used throughout the entire home. You can now use a wood look plank that is **100% Waterproof** in the Bathroom, Laundry, Kitchen and the rest of your home and it will withstand spills, scratches and moisture. It is simple enough to install with minimal effort

installation system that is glueless and requires no underlay.

This is why Cypress Tranquillity Waterproof Planks are the number one choice for floating rigid planks in the industry, making it perfect for any environment and lifestyle.









Product	SPC
Usage	Heavy domestic - industrial
Total Thickness including Wear Layer	6mm
Wear Layer	0.5mm
Size	220 x 1540mm
Qty per Carton	6 planks
M <sup>2</sup> per Carton	2.03m <sup>2</sup>
Resistance to Staining	EN 423 / Pass
Dimensional Stability	EN 434 / 0.05%
Residual Indentation	EN 433 / 0.10mm
Castor Chair Resistance	EN 425 / Pass
Finish	PUR surface treatment
Emboss	BP
Slip Resistance	R10
Reaction to Fire	EN 13501 - 1 / Bf1-s1
Installation	Click floating
Locking System	5G-i
Bevel	Four-sided
Warranty	Limited Lifetime
Scratch Resistant	Cullinan Protection Coating
Stain Resistant	Easy to clean

